

## MINNESOTA POLLUTION CONTROL AGENCY

520 Lafayette Road North St. Paul, MN 55155-4194

## Compliance inspection report form

## **Existing Subsurface Sewage Treatment System (SSTS)**

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minneso documentation – additional local requirements may https://www.pca.state.mn.us/sites/default/files/wq-w	also apply. Furth	rol Agency (MPCA) requirements and attached supporting er information can be found here:
Inspector must submit completed form to Local determination of compliance or noncompliance.	Governmental l	Jnit (LGU) and system owner within 15 days of final
Property information		Local tracking number:
Parcel ID# or Sec/Twp/Range: 171341000	Local r	regulatory authority: Becker County
Property address: 17073 N Leaf Lake Rd. Lake Pa	rk, MN 56554	
Owner/representative: Greg Schroeder		Owner's phone: 218-329-6732
Brief system description: 1500 gal. Holding Tank		
System status		
System status on date (mm/dd/yyyy): 11/28/2022	in	
☑ Compliant – Certificate of compliance*		Noncompliant – Notice of noncompliance
(Valid for 3 years from report date unless e an imminent threat to public health or safety re removal and abatement under section 145A.0 subdivision 8 is discovered or a shorter time fr	equiring 4,	An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance or under section 145A.04 subdivision 8.
in Local Ordinance.) *Note: Compliance indicates conformance R. 7080.1500 as of system status date above does not guarantee future performance.	with Minn. re and	Systems failing to protect ground water must be upgraded, replaced, or use discontinued within the time required by local ordinance.
Reason(s) for noncompliance (check a	II applicable)	
Impact on public health (Compliance con		
☐ Tank integrity (Compliance component		
		3) – Imminent threat to public health and safety
Other Compliance Conditions (Complian		
System not abandoned according to will Soil separation (Compliance component		) (Compliance component #3) – Failing to protect groundwater
		ince component #4) – Noncompliant - local ordinance applies
Comments or recommendations	smeritä (compile	indo component is y troncompliant local crantation applied
Comments of recommendations		
	•	
		•
Certification		
determination of future system performance has been abuse of the system, inadequate maintenance, or fu	n nor can be ma ture water usage	to determine the compliance status of this system. No de due to unknown conditions during system construction, possible and correct, to the best of my knowledge, and that this information
can be used for the purpose of processing this form	1 Di	

Necessary or locally required supporting documentation (must be attached)

☐ Soil observation logs	□ Locally required forms	Tank Integrity Assessment	Operating Permit
Other information (list):			-

Inspector signature:

Business name: Stoll Inspections Inc.

(This document has been electronically signed)

Certification number: 7526

License number: 2982

Phone: 218-839-1849

ompliance criteria:		Attached supporting documentation:	
ystem discharges sewage to the round surface	☐ Yes' ⊠ No	☐ Other: ☐ Not applicable	
ystem discharges sewage to drain le or surface waters.	☐ Yes' ⊠ No		
ystem causes sewage backup into welling or establishment.	☐ Yes* ⊠ No		
ny "yes" answer above indicates mminent threat to public health ar	the system is an nd safety.		
Describe verification methods and	i results:		
	1		
ok integrity – Compliance	component #2	of 5	
nk integrity – Compliance	e component #2	of 5  Attached supporting documentation	:
Compliance criteria: System consists of a seepage pit,	e component #2		:
Compliance criteria:		Attached supporting documentation	
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their		Attached supporting documentation  Dumped at time of inspection	Deweys Septi
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?	☐ Yes¹ ⊠ No	Attached supporting documentation  Pumped at time of inspection  Name of maintenance business:  License number of maintenance business  Date of maintenance:	Deweys Septi ss: L2884 11/28/2022
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes¹ ⊠ No	Attached supporting documentation  Pumped at time of inspection  Name of maintenance business:  License number of maintenance busines  Date of maintenance:  Existing tank integrity assessment (Attack	Deweys Septions: L2884
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?	☐ Yes¹ ⊠ No	Attached supporting documentation  Pumped at time of inspection  Name of maintenance business:  License number of maintenance business  Date of maintenance:	Deweys Septions: L2884 11/28/2022 ch)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their designed operating depth?  If yes, which sewage tank(s) leaks:  Any "yes" answer above indic	☐ Yes' ☒ No ☐ Yes' ☒ No ☐ cates the system	Attached supporting documentation  Pumped at time of inspection  Name of maintenance business:  License number of maintenance busines  Date of maintenance:  Existing tank integrity assessment (Attached	Deweys Septines: L2884 11/28/2022 ch) In three years)
Compliance criteria:  System consists of a seepage pit, cesspool, drywell, leaching pit, or other pit?  Sewage tank(s) leak below their	☐ Yes' ☒ No ☐ Yes' ☒ No ☐ cates the system	Attached supporting documentation  Pumped at time of inspection  Name of maintenance business:  License number of maintenance busines  Date of maintenance:  Existing tank integrity assessment (Attached)  Date of maintenance (mm/dd/yyyy): (must be within the continuous documentation) (See form instructions to ensure assessing the continuous documentation) (See form instructions to ensure assessing the continuous documentation) (See form instructions to ensure assessing the continuous documentation)	Deweys Septions: L2884 11/28/2022 ch) In three years) In three years

3. Other compliance conditions – Compliance component #3 of 5	
3a. Maintenance hole covers appear to be structurally unsound (damaged, cracked, etc.), or use the structural of the str	insecured?
☐ Yes¹ ☒ No ☐ Unknown	
3b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or s	afety? ☐ Yes' ☒ No ☐ Unknowr
*Yes to 3a or 3b - System is an imminent threat to public health and safety.	, , , , , , , , , , , , , , , , , , ,
3c. System is non-protective of ground water for other conditions as determined by inspector	
3d. System not abandoned in accordance with Minn. R. 7080.2500?	☐ Yes* ☒ No
*Yes to 3c or 3d - System is falling to protect groundwater.	
Describe verification methods and results:	
Attached supporting documentation:   Not applicable	
Attached supporting documentation in the special supporting documentation in the speci	
4. Operating permit and nitrogen BMP* - Compliance component #	4 of 5 Not applicable
10 the electric about an about an about	No If "yes", A below is required
Is the system required to employ a Nitrogen BMP specified in the system design? ☐ Yes ☐ I	No If "yes", B below is required
BMP = Best Management Practice(s) specified in the system design	
If the answer to both questions is "no", this section does not need to be compl	eted.
Compliance criteria:	
a. Have the operating permit requirements been met?	
b. Is the required nitrogen BMP in place and properly functioning? ☐ Yes ☐ No	
Any "no" answer indicates noncompliance.	
Describe verification methods and results:	
·	
Attached supporting documentation:   Operating permit (Attach)	
· · · · · · · · · · · · · · · · · · ·	
https://www.pca.state.mp.us • 651-296-6300 • 800-657-3864 • Use your preferred relay service	<ul> <li>e • Available in alternative formats</li> </ul>

5.	Soil separation – Compliance of	component	t #5 of	5	
	Date of installation 11/19/2013 (mm/dd/yyyy)	Unknow	n		
	Shoreland/Wellhead protection/Food beverage lodging?	⊠ Yes □	No	Attached supporting documentation:  Soil observation logs completed for the report (A	Attach)
	Compliance criteria (select one):			☐ Two previous verifications of required vertical	
	5a. For systems built prior to April 1, 1996, and not located in Shoreland or Wellhea Protection Area or not serving a food, beverage or lodging establishment:	d Yes	Noʻ	separation (Attach)  ☑ Not applicable (No soil treatment area)  ☐	
	Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.				
	5b.Non-performance systems built April 1,	☐ Yes ☐	□ No*	Indicate depths or elevations	
	1996, or later or for non-performance systems located in Shoreland or Wellhe	ad		A. Bottom of distribution media	
	Protection Areas or serving a food, beverage, or lodging establishment:			B. Periodically saturated soll/bedrock	****
	Drainfield has a three-foot vertical			C. System separation	
	separation distance from periodically			D. Required compliance separation*	******
5c. " s 7 F	saturated soil or bedrock.*			*May be reduced up to 15 percent if allowed by Lo Ordinance.	cal
	5c. "Experimental", "Other", or "Performand systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules 7080. 2350 or 7080.2400 (Advanced Inspector License required)	e" Yes 🗆	No*		
	Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.				
	*Any "no" answer above indicates the failing to protect groundwater.	ne system is			
	Describe verification methods and resul	ts:			
Upgrade requirements: (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is falling to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.					

Parcel Number:		171341000		
Date & Initial:	11.	28	22	
•	1		System Drawing	

System Drawing

The system drawing which includes and identifies a graphic scale in feet or indicates all setback distances, all septic/holding/lift tanks, drainfields, wells within 100 feet of system (indicate depth of wells), dwelling and non-dwelling structures, lot lines, road right-of-ways, easements, OHWLs, wetlands, and topographic features (i.e. bluffs).

